ELSEVIER

Chemical Physics 211 (1996) 517–521

Chemical Physics

Author index to volume 211

Adrian, F.J., Spin–orbit effects in fullerenes 211 (1996) 73
Alikacem, A., see Boudjarane, K. 211 (1996) 393
Amaya-Tapia, A., see Martinez, H. 211 (1996) 299

Bauschlicher Jr., C.W., The dissociation energies of FeF, FeCl, and FeBr and their positive ions 211 (1996) 163
Bessis, D., see Felfli, Z. 211 (1996) 325
Blake, A.J., see Jones, A.L. 211 (1996) 291
Bolvin, H., The Neel point for spin-transition systems: toward a two-step transition 211 (1996) 101
Boudjarane, K., A. Alikacem and M. Larzillière, Fast-ion beam laser spectroscopy of $^{14}N_2^+$ and $^{15}N_2^+$: high-resolution study of the (1, 2) band of the $B\,^2\Sigma_u^+ - X\,^2\Sigma_g^+$ system 211 (1996) 393
Brazgun, F.F., V.A. Nadtochenko, I.V. Rubtsov and L.V. Lukin, Dynamics of geminate charge separation in liquid methylcyclohexane studied by the photoassisted ion pair separation technique 211 (1996) 469
Broo, A. and A. Holmén, Ab initio MP2 and DFT calculations of geometry and solution tautomerism of purine and some purine derivatives 211 (1996) 147

Castellano, E., see Croce, A.E. 211 (1996) 215
Chapo, C., see Szczepanski, J. 211 (1996) 359
Clogston, A.M., see McDowell, H.K. 211 (1996) 91
Cobos, C.J., see Croce, A.E. 211 (1996) 215
Croce, A.E., C.J. Cobos and E. Castellano, Experimental and theoretical study of the recombination reaction of FC(O)O radicals 211 (1996) 215
Croci, M., see Güttler, F. 211 (1996) 421

Das, P.K., see Ray, P.C. 211 (1996) 499
Dickinson, A.S., see Viehland, L.A. 211 (1996) 1
Donaldson, D.J., see Randall, K.L. 211 (1996) 377
Drobizhev, M.A., M.N. Sapozhnikov, I.G. Scheblykin, O.P. Varnavsky, M. Van der Auweraer and A.G. Vitukhnovsky, Relaxation and trapping of excitons in J-aggregates of a thiacarbocynine dye 211 (1996) 455

Ekern, S., see Szczepanski, J. 211 (1996) 359
Esmond, J.R., see Yoshino, K. 211 (1996) 387

Felfli, Z., I. Fomunung, D. Bessis and A.Z. Msezane, Generalized oscillator strengths for SF_6 in the S 2p inner-shell region 211 (1996) 325
Fomunung, I., see Felfli, Z. 211 (1996) 325

Gianturco, F.A., S. Kumar and F. Schneider, Correlated electronic potential-energy surfaces for proton interactions with N_2 211 (1996) 33
Glasbeek, M., see Middelhoek, E.R. 211 (1996) 489
Gordillo, M.C. and C.P. Herrero, Al,Si ordering in chabazites: A Monte Carlo study 211 (1996) 81
Güttler, F., M. Croci, A. Renn and U.P. Wild, Single molecule polarization spectroscopy: pentacene in p-terphenyl 211 (1996) 421

Hall, G.E., see North, S.W. 211 (1996) 515
Hamada, T., Rydberg basis set effects on ab initio second hyperpolarizabilities of H_2, C_6H_6 and CS_2 molecules 211 (1996) 171
Harryvan, D.H., see Muller, J.M. 211 (1996) 413
Herrero, C.P., see Gordillo, M.C. 211 (1996) 81
Holmén, A., see Broo, A. 211 (1996) 147
Hubinger, S., see Nee, J.B. 211 (1996) 403
Hughes, J.M. and E.I. von Nagy-Felsobuki, Ab initio calculations of the rovibrational states of He_2N^{2+} 211 (1996) 135

Il'ichev, Yu.V., W. Kühnle and K.A. Zachariasse, Photophysics of 4-dimethylamino-4′-cyanostilbene and 4-azetidinyl-4′-cyanostilbene. Time-resolved fluorescence and trans–cis photoisomerisation 211 (1996) 441
Ito, K., see Yoshino, K. 211 (1996) 387

Jiang, K., see Zheng, H. 211 (1996) 507
Jones, A.L., A.J. Blake, L. Torop and D.G. McCoy, An investigation of the photodissociation of molecular oxygen in the 75 to 85 nm region 211 (1996) 291
Jørgensen, J.S., J.B. Pedersen and A.I. Shushin, Magnetic field dependent yield of geminate radical pair recombination in micelles. Effect of intraradical spin lattice relaxation 211 (1996) 235
Jovanovic-Kurepa, J., D.D. Markusev and M. Terzic, Multiple absorption and relaxation processes in SF_6–CH_4 mixtures: an experimental study 211 (1996) 347

Kerdcharoen, T., K.R. Liedl and B.M. Rode, A QM/MM simulation method applied to the solution of Li^+ in liquid ammonia 211 (1996) 313
Koper, M.T.M. and W. Schmickler, A Kramers reaction rate theory for electrochemical ion transfer reactions 211 (1996) 123
Koperski, J., Potential energy curve of the $X0^+(^1\Sigma^+)$ ground state of HgAr determined from $A0^+(^3\Pi) \rightarrow X0^+$ and $B1(^3\Sigma^+) \rightarrow X0^+$ fluorescence spectra 211 (1996) 191
Kühnle, W., see Il'ichev, Yu.V. 211 (1996) 441
Kumar, S., see Gianturco, F.A. 211 (1996) 33

Larzillière, M., see Boudjarane, K. 211 (1996) 393
Legay, F., see Legay-Sommaire, N. 211 (1996) 367
Legay-Sommaire, N. and F. Legay, Isotope effects in the photochemical formation of $HHgCH_3$ and $DHgCD_3$ in nitrogen and methane matrices 211 (1996) 367
Li, M.-M., see Ong, P.P. 211 (1996) 115
Liedl, K.R., see Kerdcharoen, T. 211 (1996) 313
Lukin, L.V., see Brazgun, F.F. 211 (1996) 469

Maclagan, R.G.A.R., see Viehland, L.A. 211 (1996) 1
Marković, N., T.D. Sewell, S. Nordholm and A. Miklavc, An improved classical approach quantum encounter treatment of collision-induced vibrational energy transfer. Application to He + CO ($n_i = 1, 2$) 211 (1996) 277
Markusev, D.D., see Jovanovic-Kurepa, J. 211 (1996) 347
Martinez, H. and A. Amaya-Tapia, Translational spectroscopy of H^- produced by collision induced dissociation of H_3^+ on He 211 (1996) 299
Matsui, T., see Yoshino, K. 211 (1996) 387
Matyushov, D.V., Solvent reorganization energy of electron transfer in weakly polar solvents 211 (1996) 47
McCoy, D.G., see Jones, A.L. 211 (1996) 291
McDowell, H.K. and A.M. Clogston, Maximum entropy imaging and quantum molecular timescale generalized Langevin equation theory 211 (1996) 91
Middelhoek, E.R., H. Zhang, J.W. Verhoeven and M. Glasbeek, Subpicosecond studies of the solvation dynamics of fluoroprobe in liquid solution 211 (1996) 489
Miklavc, A., see Marković, N. 211 (1996) 277
Monnerville, M. and J.-M. Robbe, Optical potential discrete variable representation method applied to the three-dimensional calculations of NeICl predissociation resonances 211 (1996) 249
Msezane, A.Z., see Felfli, Z. 211 (1996) 325
Muller, J.M., D.H. Harryvan, J.C.D. Verhagen, G. van Ginkel and E.E. van Faassen, The orientation of the transition dipole moments of TMA-DPH embedded in a poly(vinylalcohol) film 211 (1996) 413
Munichandraiah, N., see Ray, P.C. 211 (1996) 499

Nadtochenko, V.A., see Brazgun, F.F. 211 (1996) 469
Nee, J.B. and S. Hubinger, Pressure effects on the $Cl_2(D'-A')$ transition at 258 nm 211 (1996) 403
Nordholm, S., see Marković, N. 211 (1996) 277
North, S.W., T.J. Sears, G.E. Hall and T. Suzuki, Comment on "energy partitioning in photodissociation of methyl, ethyl, and *n*-propyl iodides at 304 nm" 211 (1996) 515
Novoderezhkin, V.I. and A.P. Razjivin, The theory of Forster-type migration between clusters of strongly interacting molecules: application to light-harvesting complexes of purple bacteria 211 (1996) 203

Ong, P.P. and M.-M. Li, Monte Carlo simulation studies on the validity of the Gram–Charlier calculations of velocity distributions of Na^+ swarm in neon gas 211 (1996) 115

Parkinson, W.H., see Yoshino, K. 211 (1996) 387
Parson, R.P., see Peng, G.S. 211 (1996) 17
Pedersen, J.B., see Jørgensen, J.S. 211 (1996) 235
Peng, G.S. and R.P. Parson, Selective rovibrational energy transfer: A classical trajectory study of collisional energy redistribution in methyl radical 211 (1996) 17
Penzkofer, A., see Reindl, S. 211 (1996) 431

Randall, K.L. and D.J. Donaldson, Photophysics and photochemistry of I_2 (D, D') in rare gas clusters 211 (1996) 377
Ray, P.C., N. Munichandraiah and P.K. Das, Dissociation constants of some substituted cinnamic acids in protic solvents: measurements by hyper-Rayleigh scattering and potentiometric techniques 211 (1996) 499

Razjivin, A.P., see Novoderezhkin, V.I. 211 (1996) 203
Reindl, S. and A. Penzkofer, Higher excited-state triplet–singlet intersystem crossing of some organic dyes 211 (1996) 431
Renn, A., see Güttler, F. 211 (1996) 421
Robbe, J.-M., see Monnerville, M. 211 (1996) 249
Rode, B.M., see Kerdcharoen, T. 211 (1996) 313
Røeggen, I., see Wind, P. 211 (1996) 179
Rubtsov, I.V., see Brazgun, F.F. 211 (1996) 469

Saalfrank, P., Stochastic wave packet vs. direct density matrix solution of Liouville–von Neumann equations for photodesorption problems 211 (1996) 265
Sapozhnikov, M.N., see Drobizhev, M.A. 211 (1996) 455
Scheblykin, I.G., see Drobizhev, M.A. 211 (1996) 455
Schmickler, W., see Koper, M.T.M. 211 (1996) 123
Schneider, F., see Gianturco, F.A. 211 (1996) 33
Sears, T.J., see North, S.W. 211 (1996) 515
Sewell, T.D., see Marković, N. 211 (1996) 277
Shi, Y.Y., see Wan, S.Z. 211 (1996) 227
Shushin, A.I., see Jørgensen, J.S. 211 (1996) 235
Suzuki, T., see North, S.W. 211 (1996) 515
Szczepanski, J., S. Ekern, C. Chapo and M. Vala, Infrared spectroscopy of matrix-isolated carbon clusters, with emphasis on C_8 and C_9 211 (1996) 359

Tachikawa, H., Dynamics of the vibrational mode-specific proton transfer reaction $NH_3^+(\nu_1) + NH_3 \rightarrow NH_2 + NH_4^+$: ab initio MO and classical trajectory studies 211 (1996) 305
Tarroni, R. and C. Zannoni, Order parameters and carbon shielding tensors of bis-MSB from ^{13}C NMR measurements in a nematic liquid crystal 211 (1996) 337
Terzic, M., see Jovanovic-Kurepa, J. 211 (1996) 347
Torop, L., see Jones, A.L. 211 (1996) 291

Vala, M., see Szczepanski, J. 211 (1996) 359
Van der Auweraer, M., see Drobizhev, M.A. 211 (1996) 455
van Faassen, E.E., see Muller, J.M. 211 (1996) 413
van Ginkel, G., see Muller, J.M. 211 (1996) 413
Varnavsky, O.P., see Drobizhev, M.A. 211 (1996) 455
Verhagen, J.C.D., see Muller, J.M. 211 (1996) 413
Verhoeven, J.W., see Middelhoek, E.R. 211 (1996) 489
Viehland, L.A., A.S. Dickinson and R.G.A.R. Maclagan, Transport coefficients for NO^+ ions in helium gas: a test of the NO^+–He interaction potential 211 (1996) 1
Vitukhnovsky, A.G., see Drobizhev, M.A. 211 (1996) 455
von Nagy-Felsobuki, E.I., see Hughes, J.M. 211 (1996) 135

Wan, S.Z., C.X. Wang, Y.W. Xu and Y.Y. Shi, Molecular dynamics simulations of cis–trans isomerization for a proline-containing tripeptide in solution 211 (1996) 227
Wang, C.X., see Wan, S.Z. 211 (1996) 227
Wang, J., see Zheng, H. 211 (1996) 507
Wild, U.P., see Güttler, F. 211 (1996) 421
Wind, P. and I. Røeggen, Ab initio calculation of three-body interaction in the $(H_2)_3$ trimer 211 (1996) 179

Xu, Y.W., see Wan, S.Z. 211 (1996) 227

Yoshino, K., J.R. Esmond, W.H. Parkinson, K. Ito and T. Matsui, Absorption cross section measurements of water vapor in the wavelength region 120 to 188 nm 211 (1996) 387

Zachariasse, K.A., see Il'ichev, Yu.V. 211 (1996) 441
Zannoni, C., see Tarroni, R. 211 (1996) 337
Zhang, H., see Middelhoek, E.R. 211 (1996) 489
Zhang, Q., see Zheng, H. 211 (1996) 507
Zheng, H., K. Jiang, Q. Zhang and J. Wang, Solvent effects on sol–gel transition of alginate solutions by addition of cupric ions 211 (1996) 507

ELSEVIER

Chemical Physics 211 (1996) 523–534

Chemical Physics

Subject index to volume 211

Methods

Theoretical

Classical mechanics

Transport coefficients for NO^+ ions in helium gas: a test of the NO^+–He interaction potential, L.A. Viehland, A.S. Dickinson and R.G.A.R. Maclagan 211 (1996) 1
Selective rovibrational energy transfer: A classical trajectory study of collisional energy redistribution in methyl radical, G.S. Peng and R.P. Parson 211 (1996) 17

Many body and quasiparticle approaches

Correlated electronic potential-energy surfaces for proton interactions with N_2, F.A. Gianturco, S. Kumar and F. Schneider 211 (1996) 33

Coupling schemes and perturbative treatments

Solvent reorganization energy of electron transfer in weakly polar solvents, D.V. Matyushov 211 (1996) 47
Spin–orbit effects in fullerenes, F.J. Adrian 211 (1996) 73

Equilibrium statistical mechanics

Solvent reorganization energy of electron transfer in weakly polar solvents, D.V. Matyushov 211 (1996) 47
Al,Si ordering in chabazites: A Monte Carlo study, M.C. Gordillo and C.P. Herrero 211 (1996) 81
Maximum entropy imaging and quantum molecular timescale generalized Langevin equation theory, H.K. McDowell and A.M. Clogston 211 (1996) 91

Statistical mechanics of stationary states

The Neel point for spin-transition systems: toward a two-step transition, H. Bolvin 211 (1996) 101

Non-equilibrium thermodynamic and hydrodynamic theories

Monte Carlo simulation studies on the validity of the Gram–Charlier calculations of velocity distributions of Na^+ swarm in neon gas, P.P. Ong and M.-M. Li 211 (1996) 115
A Kramers reaction rate theory for electrochemical ion transfer reactions, M.T.M. Koper and W. Schmickler 211 (1996) 123

Ab initio schemes for stationary properties

Correlated electronic potential-energy surfaces for proton interactions with N_2, F.A. Gianturco, S. Kumar and F. Schneider 211 (1996) 33

Ab initio calculations of the rovibrational states of He_2N^{2+}, J.M. Hughes and E.I. von Nagy-Felsobuki 211 (1996) 135
Ab initio MP2 and DFT calculations of geometry and solution tautomerism of purine and some purine derivatives, A. Broo and A. Holmén 211 (1996) 147
The dissociation energies of FeF, FeCl, and FeBr and their positive ions, C.W. Bauschlicher Jr. 211 (1996) 163
Rydberg basis set effects on ab initio second hyperpolarizabilities of H_2, C_6H_6 and CS_2 molecules, T. Hamada 211 (1996) 171
Ab initio calculation of three-body interaction in the $(H_2)_3$ trimer, P. Wind and I. Røeggen 211 (1996) 179

Computational and simulation methods
Transport coefficients for NO^+ ions in helium gas: a test of the NO^+–He interaction potential, L.A. Viehland, A.S. Dickinson and R.G.A.R. Maclagan 211 (1996) 1
Selective rovibrational energy transfer: A classical trajectory study of collisional energy redistribution in methyl radical, G.S. Peng and R.P. Parson 211 (1996) 17
Al,Si ordering in chabazites: A Monte Carlo study, M.C. Gordillo and C.P. Herrero 211 (1996) 81
Maximum entropy imaging and quantum molecular timescale generalized Langevin equation theory, H.K. McDowell and A.M. Clogston 211 (1996) 91
The Neel point for spin-transition systems: toward a two-step transition, H. Bolvin 211 (1996) 101
Potential energy curve of the $X0^+(^1\Sigma^+)$ ground state of HgAr determined from $A0^+(^3\Pi) \rightarrow X0^+$ and $B1(^3\Sigma^+) \rightarrow X0^+$ fluorescence spectra, J. Koperski 211 (1996) 191
The theory of Forster-type migration between clusters of strongly interacting molecules: application to light-harvesting complexes of purple bacteria, V.I. Novoderezhkin and A.P. Razjivin 211 (1996) 203
Experimental and theoretical study of the recombination reaction of FC(O)O radicals, A.E. Croce, C.J. Cobos and E. Castellano 211 (1996) 215
Molecular dynamics simulations of cis–trans isomerization for a proline-containing tripeptide in solution, S.Z. Wan, C.X. Wang, Y.W. Xu and Y.Y. Shi 211 (1996) 227
Magnetic field dependent yield of geminate radical pair recombination in micelles. Effect of intraradical spin lattice relaxation, J.S. Jørgensen, J.B. Pedersen and A.I. Shushin 211 (1996) 235
Optical potential discrete variable representation method applied to the three-dimensional calculations of NeICl predissociation resonances, M. Monnerville and J.-M. Robbe 211 (1996) 249
Stochastic wave packet vs. direct density matrix solution of Liouville–von Neumann equations for photodesorption problems, P. Saalfrank 211 (1996) 265
An improved classical approach quantum encounter treatment of collision-induced vibrational energy transfer. Application to He + CO ($n_i = 1, 2$), N. Marković, T.D. Sewell, S. Nordholm and A. Miklavc 211 (1996) 277

Molecular dynamics and scattering theory
Spin–orbit effects in fullerenes, F.J. Adrian 211 (1996) 73
Optical potential discrete variable representation method applied to the three-dimensional calculations of NeICl predissociation resonances, M. Monnerville and J.-M. Robbe 211 (1996) 249
Stochastic wave packet vs. direct density matrix solution of Liouville–von Neumann equations for photodesorption problems, P. Saalfrank 211 (1996) 265
An improved classical approach quantum encounter treatment of collision-induced vibrational energy transfer. Application to He + CO ($n_i = 1, 2$), N. Marković, T.D. Sewell, S. Nordholm and A. Miklavc 211 (1996) 277
An investigation of the photodissociation of molecular oxygen in the 75 to 85 nm region, A.L. Jones, A.J. Blake, L. Torop and D.G. McCoy 211 (1996) 291

Translational spectroscopy of H^- produced by collision induced dissociation of H_3^+ on He, H. Martinez and A. Amaya-Tapia 211 (1996) 299
Dynamics of the vibrational mode-specific proton transfer reaction $NH_3^+(\nu_1) + NH_3 \rightarrow NH_2 + NH_4^+$: ab initio MO and classical trajectory studies, H. Tachikawa 211 (1996) 305
A QM/MM simulation method applied to the solution of Li^+ in liquid ammonia, T. Kerdcharoen, K.R. Liedl and B.M. Rode 211 (1996) 313
Generalized oscillator strengths for SF_6 in the S 2p inner-shell region, Z. Felfli, I. Fomunung, D. Bessis and A.Z. Msezane 211 (1996) 325

Experimental

Magnetic resonances

Order parameters and carbon shielding tensors of bis-MSB from ^{13}C NMR measurements in a nematic liquid crystal, R. Tarroni and C. Zannoni 211 (1996) 337

Infrared spectroscopy

Ab initio calculations of the rovibrational states of He_2N^{2+}, J.M. Hughes and E.I. von Nagy-Felsobuki 211 (1996) 135
Multiple absorption and relaxation processes in SF_6–CH_4 mixtures: an experimental study, J. Jovanovic-Kurepa, D.D. Markusev and M. Terzic 211 (1996) 347
Infrared spectroscopy of matrix-isolated carbon clusters, with emphasis on C_8 and C_9, J. Szczepanski, S. Ekern, C. Chapo and M. Vala 211 (1996) 359
Isotope effects in the photochemical formation of $HHgCH_3$ and $DHgCD_3$ in nitrogen and methane matrices, N. Legay-Sommaire and F. Legay 211 (1996) 367

Visible and UV spectroscopy

Potential energy curve of the $X0^+(^1\Sigma^+)$ ground state of HgAr determined from $A0^+(^3\Pi) \rightarrow X0^+$ and $B1(^3\Sigma^+) \rightarrow X0^+$ fluorescence spectra, J. Koperski 211 (1996) 191
An investigation of the photodissociation of molecular oxygen in the 75 to 85 nm region, A.L. Jones, A.J. Blake, L. Torop and D.G. McCoy 211 (1996) 291
Photophysics and photochemistry of I_2 (D, D′) in rare gas clusters, K.L. Randall and D.J. Donaldson 211 (1996) 377
Absorption cross section measurements of water vapor in the wavelength region 120 to 188 nm, K. Yoshino, J.R. Esmond, W.H. Parkinson, K. Ito and T. Matsui 211 (1996) 387
Fast-ion beam laser spectroscopy of $^{14}N_2^+$ and $^{15}N_2^+$: high-resolution study of the (1, 2) band of the $B\,^2\Sigma_u^+$–$X\,^2\Sigma_g^+$ system, K. Boudjarane, A. Alikacem and M. Larzillière 211 (1996) 393
Pressure effects on the $Cl_2(D'–A')$ transition at 258 nm, J.B. Nee and S. Hubinger 211 (1996) 403
The orientation of the transition dipole moments of TMA-DPH embedded in a poly(vinylalcohol) film, J.M. Muller, D.H. Harryvan, J.C.D. Verhagen, G. van Ginkel and E.E. van Faassen 211 (1996) 413

Fluorescence spectroscopy

Pressure effects on the $Cl_2(D'–A')$ transition at 258 nm, J.B. Nee and S. Hubinger 211 (1996) 403
The orientation of the transition dipole moments of TMA-DPH embedded in a poly(vinylalcohol) film, J.M. Muller, D.H. Harryvan, J.C.D. Verhagen, G. van Ginkel and E.E. van Faassen 211 (1996) 413
Single molecule polarization spectroscopy: pentacene in p-terphenyl, F. Güttler, M. Croci, A. Renn and U.P. Wild 211 (1996) 421

Higher excited-state triplet–singlet intersystem crossing of some organic dyes, S. Reindl and A. Penzkofer 211 (1996) 431
Photophysics of 4-dimethylamino-4′-cyanostilbene and 4-azetidinyl-4′-cyanostilbene. Time-resolved fluorescence and trans–cis photoisomerisation, Yu.V. Il'ichev, W. Kühnle and K.A. Zachariasse 211 (1996) 441

Laser methods

Relaxation and trapping of excitons in J-aggregates of a thiacarbocynine dye, M.A. Drobizhev, M.N. Sapozhnikov, I.G. Scheblykin, O.P. Varnavsky, M. Van der Auweraer and A.G. Vitukhnovsky 211 (1996) 455
Dynamics of geminate charge separation in liquid methylcyclohexane studied by the photoassisted ion pair separation technique, F.F. Brazgun, V.A. Nadtochenko, I.V. Rubtsov and L.V. Lukin 211 (1996) 469
Comment on "energy partitioning in photodissociation of methyl, ethyl, and *n*-propyl iodides at 304 nm", S.W. North, T.J. Sears, G.E. Hall and T. Suzuki 211 (1996) 515

Picosecond spectroscopy

The theory of Forster-type migration between clusters of strongly interacting molecules: application to light-harvesting complexes of purple bacteria, V.I. Novoderezhkin and A.P. Razjivin 211 (1996) 203
Higher excited-state triplet–singlet intersystem crossing of some organic dyes, S. Reindl and A. Penzkofer 211 (1996) 431
Subpicosecond studies of the solvation dynamics of fluoroprobe in liquid solution, E.R. Middelhoek, H. Zhang, J.W. Verhoeven and M. Glasbeek 211 (1996) 489

Non-linear optical spectroscopy

Higher excited-state triplet–singlet intersystem crossing of some organic dyes, S. Reindl and A. Penzkofer 211 (1996) 431
Dissociation constants of some substituted cinnamic acids in protic solvents: measurements by hyper-Rayleigh scattering and potentiometric techniques, P.C. Ray, N. Munichandraiah and P.K. Das 211 (1996) 499

Optoacoustic spectroscopy

Multiple absorption and relaxation processes in SF_6–CH_4 mixtures: an experimental study, J. Jovanovic-Kurepa, D.D. Markusev and M. Terzic 211 (1996) 347

Time-resolved experiments

Experimental and theoretical study of the recombination reaction of FC(O)O radicals, A.E. Croce, C.J. Cobos and E. Castellano 211 (1996) 215
Photophysics of 4-dimethylamino-4′-cyanostilbene and 4-azetidinyl-4′-cyanostilbene. Time-resolved fluorescence and trans–cis photoisomerisation, Yu.V. Il'ichev, W. Kühnle and K.A. Zachariasse 211 (1996) 441
Dynamics of geminate charge separation in liquid methylcyclohexane studied by the photoassisted ion pair separation technique, F.F. Brazgun, V.A. Nadtochenko, I.V. Rubtsov and L.V. Lukin 211 (1996) 469
Subpicosecond studies of the solvation dynamics of fluoroprobe in liquid solution, E.R. Middelhoek, H. Zhang, J.W. Verhoeven and M. Glasbeek 211 (1996) 489

Mass spectrometry
Translational spectroscopy of H^- produced by collision induced dissociation of H_3^+ on He, H. Martinez and A. Amaya-Tapia 211 (1996) 299
Comment on "energy partitioning in photodissociation of methyl, ethyl, and *n*-propyl iodides at 304 nm", S.W. North, T.J. Sears, G.E. Hall and T. Suzuki 211 (1996) 515

Measurement of macroscopic variables
Solvent effects on sol–gel transition of alginate solutions by addition of cupric ions, H. Zheng, K. Jiang, Q. Zhang and J. Wang 211 (1996) 507

Objects

Bulk systems

Gases
Transport coefficients for NO^+ ions in helium gas: a test of the NO^+–He interaction potential, L.A. Viehland, A.S. Dickinson and R.G.A.R. Maclagan 211 (1996) 1
Correlated electronic potential-energy surfaces for proton interactions with N_2, F.A. Gianturco, S. Kumar and F. Schneider 211 (1996) 33
Optical potential discrete variable representation method applied to the three-dimensional calculations of NeICl predissociation resonances, M. Monnerville and J.-M. Robbe 211 (1996) 249
An investigation of the photodissociation of molecular oxygen in the 75 to 85 nm region, A.L. Jones, A.J. Blake, L. Torop and D.G. McCoy 211 (1996) 291
Dynamics of the vibrational mode-specific proton transfer reaction $NH_3^+(\nu_1) + NH_3 \rightarrow NH_2 + NH_4^+$: ab initio MO and classical trajectory studies, H. Tachikawa 211 (1996) 305
Multiple absorption and relaxation processes in SF_6–CH_4 mixtures: an experimental study, J. Jovanovic-Kurepa, D.D. Markusev and M. Terzic 211 (1996) 347
Absorption cross section measurements of water vapor in the wavelength region 120 to 188 nm, K. Yoshino, J.R. Esmond, W.H. Parkinson, K. Ito and T. Matsui 211 (1996) 387
Fast-ion beam laser spectroscopy of $^{14}N_2^+$ and $^{15}N_2^+$: high-resolution study of the (1, 2) band of the $B\,^2\Sigma_u^+$–$X\,^2\Sigma_g^+$ system, K. Boudjarane, A. Alikacem and M. Larzillière 211 (1996) 393

Supersonic beams
Ab initio calculations of the rovibrational states of He_2N^{2+}, J.M. Hughes and E.I. von Nagy-Felsobuki 211 (1996) 135
Potential energy curve of the $X0^+(^1\Sigma^+)$ ground state of HgAr determined from $A0^+(^3\Pi) \rightarrow X0^+$ and $B1(^3\Sigma^+) \rightarrow X0^+$ fluorescence spectra, J. Koperski 211 (1996) 191

Liquids neat
Photophysics of 4-dimethylamino-4′-cyanostilbene and 4-azetidinyl-4′-cyanostilbene. Time-resolved fluorescence and trans–cis photoisomerisation, Yu.V. Il'ichev, W. Kühnle and K.A. Zachariasse 211 (1996) 441

Liquid mixtures and solutions
Solvent reorganization energy of electron transfer in weakly polar solvents, D.V. Matyushov 211 (1996) 47
A QM/MM simulation method applied to the solution of Li^+ in liquid ammonia, T. Kerdcharoen, K.R. Liedl and B.M. Rode 211 (1996) 313

Subpicosecond studies of the solvation dynamics of fluoroprobe in liquid solution, E.R. Middelhoek, H. Zhang, J.W. Verhoeven and M. Glasbeek 211 (1996) 489
Dissociation constants of some substituted cinnamic acids in protic solvents: measurements by hyper-Rayleigh scattering and potentiometric techniques, P.C. Ray, N. Munichandraiah and P.K. Das 211 (1996) 499

Crystals
Al,Si ordering in chabazites: A Monte Carlo study, M.C. Gordillo and C.P. Herrero 211 (1996) 81
Stochastic wave packet vs. direct density matrix solution of Liouville–von Neumann equations for photodesorption problems, P. Saalfrank 211 (1996) 265

-mixed
Single molecule polarization spectroscopy: pentacene in p-terphenyl, F. Güttler, M. Croci, A. Renn and U.P. Wild 211 (1996) 421

Liquid crystals
Order parameters and carbon shielding tensors of bis-MSB from ^{13}C NMR measurements in a nematic liquid crystal, R. Tarroni and C. Zannoni 211 (1996) 337

Thin films
The orientation of the transition dipole moments of TMA-DPH embedded in a poly(vinylalcohol) film, J.M. Muller, D.H. Harryvan, J.C.D. Verhagen, G. van Ginkel and E.E. van Faassen 211 (1996) 413

Low-dimensional materials
Relaxation and trapping of excitons in J-aggregates of a thiacarbocynine dye, M.A. Drobizhev, M.N. Sapozhnikov, I.G. Scheblykin, O.P. Varnavsky, M. Van der Auweraer and A.G. Vitukhnovsky 211 (1996) 455

Plasmas
Monte Carlo simulation studies on the validity of the Gram–Charlier calculations of velocity distributions of Na^+ swarm in neon gas, P.P. Ong and M.-M. Li 211 (1996) 115

Biological systems
Ab initio MP2 and DFT calculations of geometry and solution tautomerism of purine and some purine derivatives, A. Broo and A. Holmén 211 (1996) 147
The theory of Forster-type migration between clusters of strongly interacting molecules: application to light-harvesting complexes of purple bacteria, V.I. Novoderezhkin and A.P. Razjivin 211 (1996) 203
Molecular dynamics simulations of cis–trans isomerization for a proline-containing tripeptide in solution, S.Z. Wan, C.X. Wang, Y.W. Xu and Y.Y. Shi 211 (1996) 227
Solvent effects on sol–gel transition of alginate solutions by addition of cupric ions, H. Zheng, K. Jiang, Q. Zhang and J. Wang 211 (1996) 507

Microscopic systems

Molecules (neutral and ionic)
Magnetic field dependent yield of geminate radical pair recombination in micelles. Effect of intraradical spin lattice relaxation, J.S. Jørgensen, J.B. Pedersen and A.I. Shushin 211 (1996) 235

Translational spectroscopy of H^- produced by collision induced dissociation of H_3^+ on He, H. Martinez and A. Amaya-Tapia 211 (1996) 299
Dynamics of the vibrational mode-specific proton transfer reaction $NH_3^+(\nu_1) + NH_3 \rightarrow NH_2 + NH_4^+$: ab initio MO and classical trajectory studies, H. Tachikawa 211 (1996) 305
Generalized oscillator strengths for SF_6 in the S 2p inner-shell region, Z. Felfli, I. Fomunung, D. Bessis and A.Z. Msezane 211 (1996) 325
Dissociation constants of some substituted cinnamic acids in protic solvents: measurements by hyper-Rayleigh scattering and potentiometric techniques, P.C. Ray, N. Munichandraiah and P.K. Das 211 (1996) 499

-diatomic
The dissociation energies of FeF, FeCl, and FeBr and their positive ions, C.W. Bauschlicher Jr. 211 (1996) 163
Rydberg basis set effects on ab initio second hyperpolarizabilities of H_2, C_6H_6 and CS_2 molecules, T. Hamada 211 (1996) 171
An investigation of the photodissociation of molecular oxygen in the 75 to 85 nm region, A.L. Jones, A.J. Blake, L. Torop and D.G. McCoy 211 (1996) 291
Photophysics and photochemistry of I_2 (D, D′) in rare gas clusters, K.L. Randall and D.J. Donaldson 211 (1996) 377
Fast-ion beam laser spectroscopy of $^{14}N_2^+$ and $^{15}N_2^+$: high-resolution study of the (1, 2) band of the $B\,^2\Sigma_u^+ - X\,^2\Sigma_g^+$ system, K. Boudjarane, A. Alikacem and M. Larzillière 211 (1996) 393

-small polyatomics
Transport coefficients for NO^+ ions in helium gas: a test of the NO^+–He interaction potential, L.A. Viehland, A.S. Dickinson and R.G.A.R. Maclagan 211 (1996) 1
Selective rovibrational energy transfer: A classical trajectory study of collisional energy redistribution in methyl radical, G.S. Peng and R.P. Parson 211 (1996) 17
Rydberg basis set effects on ab initio second hyperpolarizabilities of H_2, C_6H_6 and CS_2 molecules, T. Hamada 211 (1996) 171
Dynamics of the vibrational mode-specific proton transfer reaction $NH_3^+(\nu_1) + NH_3 \rightarrow NH_2 + NH_4^+$: ab initio MO and classical trajectory studies, H. Tachikawa 211 (1996) 305
Multiple absorption and relaxation processes in SF_6–CH_4 mixtures: an experimental study, J. Jovanovic-Kurepa, D.D. Markusev and M. Terzic 211 (1996) 347
Absorption cross section measurements of water vapor in the wavelength region 120 to 188 nm, K. Yoshino, J.R. Esmond, W.H. Parkinson, K. Ito and T. Matsui 211 (1996) 387
Comment on "energy partitioning in photodissociation of methyl, ethyl, and *n*-propyl iodides at 304 nm", S.W. North, T.J. Sears, G.E. Hall and T. Suzuki 211 (1996) 515

-aromatics
Solvent reorganization energy of electron transfer in weakly polar solvents, D.V. Matyushov 211 (1996) 47
Spin–orbit effects in fullerenes, F.J. Adrian 211 (1996) 73
Rydberg basis set effects on ab initio second hyperpolarizabilities of H_2, C_6H_6 and CS_2 molecules, T. Hamada 211 (1996) 171
The orientation of the transition dipole moments of TMA-DPH embedded in a poly(vinylalcohol) film, J.M. Muller, D.H. Harryvan, J.C.D. Verhagen, G. van Ginkel and E.E. van Faassen 211 (1996) 413
Single molecule polarization spectroscopy: pentacene in p-terphenyl, F. Güttler, M. Croci, A. Renn and U.P. Wild 211 (1996) 421

Higher excited-state triplet–singlet intersystem crossing of some organic dyes, S. Reindl and A. Penzkofer 211 (1996) 431

-other large

Subpicosecond studies of the solvation dynamics of fluoroprobe in liquid solution, E.R. Middelhoek, H. Zhang, J.W. Verhoeven and M. Glasbeek 211 (1996) 489

-polymeric and biological

Ab initio MP2 and DFT calculations of geometry and solution tautomerism of purine and some purine derivatives, A. Broo and A. Holmén 211 (1996) 147

Molecular aggregates

The theory of Forster-type migration between clusters of strongly interacting molecules: application to light-harvesting complexes of purple bacteria, V.I. Novoderezhkin and A.P. Razjivin 211 (1996) 203

Relaxation and trapping of excitons in J-aggregates of a thiacarbocynine dye, M.A. Drobizhev, M.N. Sapozhnikov, I.G. Scheblykin, O.P. Varnavsky, M. Van der Auweraer and A.G. Vitukhnovsky 211 (1996) 455

-van der Waals molecules

Ab initio calculation of three-body interaction in the $(H_2)_3$ trimer, P. Wind and I. Røeggen 211 (1996) 179

Potential energy curve of the $X0^+(^1\Sigma^+)$ ground state of HgAr determined from $A0^+(^3\Pi) \rightarrow X0^+$ and $B1(^3\Sigma^+) \rightarrow X0^+$ fluorescence spectra, J. Koperski 211 (1996) 191

Optical potential discrete variable representation method applied to the three-dimensional calculations of NeICl predissociation resonances, M. Monnerville and J.-M. Robbe 211 (1996) 249

-clusters

Infrared spectroscopy of matrix-isolated carbon clusters, with emphasis on C_8 and C_9, J. Szczepanski, S. Ekern, C. Chapo and M. Vala 211 (1996) 359

Photophysics and photochemistry of I_2 (D, D') in rare gas clusters, K.L. Randall and D.J. Donaldson 211 (1996) 377

Solvent effects on sol–gel transition of alginate solutions by addition of cupric ions, H. Zheng, K. Jiang, Q. Zhang and J. Wang 211 (1996) 507

Free radicals (including hydronium and muonium)

Experimental and theoretical study of the recombination reaction of FC(O)O radicals, A.E. Croce, C.J. Cobos and E. Castellano 211 (1996) 215

Magnetic field dependent yield of geminate radical pair recombination in micelles. Effect of intraradical spin lattice relaxation, J.S. Jørgensen, J.B. Pedersen and A.I. Shushin 211 (1996) 235

Ions and charge carriers

A Kramers reaction rate theory for electrochemical ion transfer reactions, M.T.M. Koper and W. Schmickler 211 (1996) 123

Dynamics of geminate charge separation in liquid methylcyclohexane studied by the photoassisted ion pair separation technique, F.F. Brazgun, V.A. Nadtochenko, I.V. Rubtsov and L.V. Lukin 211 (1996) 469

Phenomena

Molecular structure
Spin–orbit effects in fullerenes, F.J. Adrian 211 (1996) 73
Ab initio calculations of the rovibrational states of He_2N^{2+}, J.M. Hughes and E.I. von Nagy-Felsobuki 211 (1996) 135
Ab initio MP2 and DFT calculations of geometry and solution tautomerism of purine and some purine derivatives, A. Broo and A. Holmén 211 (1996) 147
The dissociation energies of FeF, FeCl, and FeBr and their positive ions, C.W. Bauschlicher Jr. 211 (1996) 163
Potential energy curve of the $X0^+(^1\Sigma^+)$ ground state of HgAr determined from $A0^+(^3\Pi) \rightarrow X0^+$ and $B1(^3\Sigma^+) \rightarrow X0^+$ fluorescence spectra, J. Koperski 211 (1996) 191

Vibrations and rotations of molecules
Selective rovibrational energy transfer: A classical trajectory study of collisional energy redistribution in methyl radical, G.S. Peng and R.P. Parson 211 (1996) 17
Ab initio calculations of the rovibrational states of He_2N^{2+}, J.M. Hughes and E.I. von Nagy-Felsobuki 211 (1996) 135
An improved classical approach quantum encounter treatment of collision-induced vibrational energy transfer. Application to He + CO ($n_i = 1, 2$), N. Marković, T.D. Sewell, S. Nordholm and A. Miklavc 211 (1996) 277
Infrared spectroscopy of matrix-isolated carbon clusters, with emphasis on C_8 and C_9, J. Szczepanski, S. Ekern, C. Chapo and M. Vala 211 (1996) 359
Fast-ion beam laser spectroscopy of $^{14}N_2^+$ and $^{15}N_2^+$: high-resolution study of the (1, 2) band of the $B\,^2\Sigma_u^+ - X\,^2\Sigma_g^+$ system, K. Boudjarane, A. Alikacem and M. Larzillière 211 (1996) 393

Electronic structure and states
Correlated electronic potential-energy surfaces for proton interactions with N_2, F.A. Gianturco, S. Kumar and F. Schneider 211 (1996) 33
Pressure effects on the $Cl_2(D'-A')$ transition at 258 nm, J.B. Nee and S. Hubinger 211 (1996) 403
Single molecule polarization spectroscopy: pentacene in p-terphenyl, F. Güttler, M. Croci, A. Renn and U.P. Wild 211 (1996) 421

Electric and magnetic properties
Spin–orbit effects in fullerenes, F.J. Adrian 211 (1996) 73

Molecular interactions
Ab initio calculation of three-body interaction in the $(H_2)_3$ trimer, P. Wind and I. Røeggen 211 (1996) 179
Generalized oscillator strengths for SF_6 in the S 2p inner-shell region, Z. Felfli, I. Fomunung, D. Bessis and A.Z. Msezane 211 (1996) 325
Order parameters and carbon shielding tensors of bis-MSB from ^{13}C NMR measurements in a nematic liquid crystal, R. Tarroni and C. Zannoni 211 (1996) 337
Photophysics and photochemistry of I_2 (D, D') in rare gas clusters, K.L. Randall and D.J. Donaldson 211 (1996) 377

Spectral bandshapes and intensities
Maximum entropy imaging and quantum molecular timescale generalized Langevin equation theory, H.K. McDowell and A.M. Clogston 211 (1996) 91
Absorption cross section measurements of water vapor in the wavelength region 120 to 188 nm, K. Yoshino, J.R. Esmond, W.H. Parkinson, K. Ito and T. Matsui 211 (1996) 387

Coupling of electronic and nuclear motion
Stochastic wave packet vs. direct density matrix solution of Liouville–von Neumann equations for photodesorption problems, P. Saalfrank 211 (1996) 265
An investigation of the photodissociation of molecular oxygen in the 75 to 85 nm region, A.L. Jones, A.J. Blake, L. Torop and D.G. McCoy 211 (1996) 291
Relaxation and trapping of excitons in J-aggregates of a thiacarbocynine dye, M.A. Drobizhev, M.N. Sapozhnikov, I.G. Scheblykin, O.P. Varnavsky, M. Van der Auweraer and A.G. Vitukhnovsky 211 (1996) 455

Energy transfer processes
Selective rovibrational energy transfer: A classical trajectory study of collisional energy redistribution in methyl radical, G.S. Peng and R.P. Parson 211 (1996) 17
Correlated electronic potential-energy surfaces for proton interactions with N_2, F.A. Gianturco, S. Kumar and F. Schneider 211 (1996) 33
The theory of Forster-type migration between clusters of strongly interacting molecules: application to light-harvesting complexes of purple bacteria, V.I. Novoderezhkin and A.P. Razjivin 211 (1996) 203
An improved classical approach quantum encounter treatment of collision-induced vibrational energy transfer. Application to He + CO ($n_i = 1, 2$), N. Marković, T.D. Sewell, S. Nordholm and A. Miklavc 211 (1996) 277
Translational spectroscopy of H^- produced by collision induced dissociation of H_3^+ on He, H. Martinez and A. Amaya-Tapia 211 (1996) 299

Molecular photophysical processes
Higher excited-state triplet–singlet intersystem crossing of some organic dyes, S. Reindl and A. Penzkofer 211 (1996) 431

Intramolecular dynamics
Molecular dynamics simulations of cis–trans isomerization for a proline-containing tripeptide in solution, S.Z. Wan, C.X. Wang, Y.W. Xu and Y.Y. Shi 211 (1996) 227
Optical potential discrete variable representation method applied to the three-dimensional calculations of NeICl predissociation resonances, M. Monnerville and J.-M. Robbe 211 (1996) 249

-radiationless transitions
Optical potential discrete variable representation method applied to the three-dimensional calculations of NeICl predissociation resonances, M. Monnerville and J.-M. Robbe 211 (1996) 249

Luminescence spectra, yields and lifetimes
The orientation of the transition dipole moments of TMA-DPH embedded in a poly(vinylalcohol) film, J.M. Muller, D.H. Harryvan, J.C.D. Verhagen, G. van Ginkel and E.E. van Faassen 211 (1996) 413
Photophysics of 4-dimethylamino-4′-cyanostilbene and 4-azetidinyl-4′-cyanostilbene. Time-resolved fluorescence and trans–cis photoisomerisation, Yu.V. Il'ichev, W. Kühnle and K.A. Zachariasse 211 (1996) 441

Non-linear responses (including optical)
Rydberg basis set effects on ab initio second hyperpolarizabilities of H_2, C_6H_6 and CS_2 molecules, T. Hamada 211 (1996) 171
Dissociation constants of some substituted cinnamic acids in protic solvents: measurements by hyper-Rayleigh scattering and potentiometric techniques, P.C. Ray, N. Munichandraiah and P.K. Das 211 (1996) 499

Reactions (including dissociation)
Experimental and theoretical study of the recombination reaction of FC(O)O radicals, A.E. Croce, C.J. Cobos and E. Castellano 211 (1996) 215
Dynamics of the vibrational mode-specific proton transfer reaction $NH_3^+(\nu_1) + NH_3 \rightarrow NH_2 + NH_4^+$: ab initio MO and classical trajectory studies, H. Tachikawa 211 (1996) 305

-gas phase
Experimental and theoretical study of the recombination reaction of FC(O)O radicals, A.E. Croce, C.J. Cobos and E. Castellano 211 (1996) 215
Dynamics of the vibrational mode-specific proton transfer reaction $NH_3^+(\nu_1) + NH_3 \rightarrow NH_2 + NH_4^+$: ab initio MO and classical trajectory studies, H. Tachikawa 211 (1996) 305
Pressure effects on the $Cl_2(D'-A')$ transition at 258 nm, J.B. Nee and S. Hubinger 211 (1996) 403
Comment on "energy partitioning in photodissociation of methyl, ethyl, and *n*-propyl iodides at 304 nm", S.W. North, T.J. Sears, G.E. Hall and T. Suzuki 211 (1996) 515

-condensed phase
A Kramers reaction rate theory for electrochemical ion transfer reactions, M.T.M. Koper and W. Schmickler 211 (1996) 123
Isotope effects in the photochemical formation of $HHgCH_3$ and $DHgCD_3$ in nitrogen and methane matrices, N. Legay-Sommaire and F. Legay 211 (1996) 367
Dissociation constants of some substituted cinnamic acids in protic solvents: measurements by hyper-Rayleigh scattering and potentiometric techniques, P.C. Ray, N. Munichandraiah and P.K. Das 211 (1996) 499

-photochemical
Photophysics and photochemistry of I_2 (D, D') in rare gas clusters, K.L. Randall and D.J. Donaldson 211 (1996) 377
Photophysics of 4-dimethylamino-4'-cyanostilbene and 4-azetidinyl-4'-cyanostilbene. Time-resolved fluorescence and trans–cis photoisomerisation, Yu.V. Il'ichev, W. Kühnle and K.A. Zachariasse 211 (1996) 441
Dynamics of geminate charge separation in liquid methylcyclohexane studied by the photoassisted ion pair separation technique, F.F. Brazgun, V.A. Nadtochenko, I.V. Rubtsov and L.V. Lukin 211 (1996) 469
Comment on "energy partitioning in photodissociation of methyl, ethyl, and *n*-propyl iodides at 304 nm", S.W. North, T.J. Sears, G.E. Hall and T. Suzuki 211 (1996) 515

Electron transfer
Solvent reorganization energy of electron transfer in weakly polar solvents, D.V. Matyushov 211 (1996) 47
A Kramers reaction rate theory for electrochemical ion transfer reactions, M.T.M. Koper and W. Schmickler 211 (1996) 123

Ionization (including Rydberg states)
The dissociation energies of FeF, FeCl, and FeBr and their positive ions, C.W. Bauschlicher Jr. 211 (1996) 163
Dynamics of geminate charge separation in liquid methylcyclohexane studied by the photoassisted ion pair separation technique, F.F. Brazgun, V.A. Nadtochenko, I.V. Rubtsov and L.V. Lukin 211 (1996) 469

Molecular motion (including diffusive)
Monte Carlo simulation studies on the validity of the Gram–Charlier calculations of velocity distributions of Na^+ swarm in neon gas, P.P. Ong and M.-M. Li 211 (1996) 115
Magnetic field dependent yield of geminate radical pair recombination in micelles. Effect of intraradical spin lattice relaxation, J.S. Jørgensen, J.B. Pedersen and A.I. Shushin 211 (1996) 235
Subpicosecond studies of the solvation dynamics of fluoroprobe in liquid solution, E.R. Middelhoek, H. Zhang, J.W. Verhoeven and M. Glasbeek 211 (1996) 489

Isotopic effects
Isotope effects in the photochemical formation of $HHgCH_3$ and $DHgCD_3$ in nitrogen and methane matrices, N. Legay-Sommaire and F. Legay 211 (1996) 367

Collective motion and excitations
Relaxation and trapping of excitons in J-aggregates of a thiacarbocynine dye, M.A. Drobizhev, M.N. Sapozhnikov, I.G. Scheblykin, O.P. Varnavsky, M. Van der Auweraer and A.G. Vitukhnovsky 211 (1996) 455

Surface effects and catalysis
Stochastic wave packet vs. direct density matrix solution of Liouville–von Neumann equations for photodesorption problems, P. Saalfrank 211 (1996) 265

Thermodynamic and transport properties
Transport coefficients for NO^+ ions in helium gas: a test of the NO^+–He interaction potential, L.A. Viehland, A.S. Dickinson and R.G.A.R. Maclagan 211 (1996) 1
Maximum entropy imaging and quantum molecular timescale generalized Langevin equation theory, H.K. McDowell and A.M. Clogston 211 (1996) 91
Monte Carlo simulation studies on the validity of the Gram–Charlier calculations of velocity distributions of Na^+ swarm in neon gas, P.P. Ong and M.-M. Li 211 (1996) 115
The dissociation energies of FeF, FeCl, and FeBr and their positive ions, C.W. Bauschlicher Jr. 211 (1996) 163

Structure of solids and liquids
Al,Si ordering in chabazites: A Monte Carlo study, M.C. Gordillo and C.P. Herrero 211 (1996) 81
A QM/MM simulation method applied to the solution of Li^+ in liquid ammonia, T. Kerdcharoen, K.R. Liedl and B.M. Rode 211 (1996) 313
Single molecule polarization spectroscopy: pentacene in p-terphenyl, F. Güttler, M. Croci, A. Renn and U.P. Wild 211 (1996) 421

Phase transitions
The Neel point for spin-transition systems: toward a two-step transition, H. Bolvin 211 (1996) 101
Solvent effects on sol–gel transition of alginate solutions by addition of cupric ions, H. Zheng, K. Jiang, Q. Zhang and J. Wang 211 (1996) 507